

YOUR SMART WASH

UPRIGHT DISHWASHERS

HD-130-USA Heavy Duty | High-Temperature

Item: 49128 | Model: HOOD-130-PREMIUM USA

The top-tier option for high-demand environments requiring durability, performance, and hygiene.



Superior Design

- •AISI 304 Structure Stainless Steel Wash and Polypropylene Rinse Arms •Non-Drip Roof to safeguard the hygiene of freshly washed dishes
- •Split wash and rinse arms for superior coverage
- •Deep Formed Tank Bottom for a perfect total drain
- •Temperature thermometers for wash and rinse tanks
- •Premium Quality with advanced safety features such as door microswitch
- CE Certified Components

Easy To Use

•Easy and intuitive electronic control panel ·Hood-operated start/stop for ergonomic use •Fully Automatic Cycle with multiple advanced settings-

- lets you focus on the more important things in the kitchen Easily removable Basket Support
- ·Handles both dishes and utensils* in one machine *within allowable limits
- •Automatic Hood Lift at the end of cycle
- •Flexible installation corner or straight-line
- •Self-Cleaning Cycle ensures proper hygiene

 Suitable for large volumes of dishware, pots, and utensils -Ideal for High Volume operations and demanding kitchens

Efficiency & Cost Saving

- •Five Customizable Programs for enhanced performance and flexibility
- •Double Skin Insulated Hood maximizes Energy Efficiency and silent operation
- •Light wash & rinse arms ensure efficiency even at lower water pressure
- ·Lower Cost of Ownership over the lifetime
- •Fast cycle times with max hygiene standards

ለ	٦]	I

Reliability Guaranteed

- •Reliable system lowers maintenance costs • Double tank filters, with dirt collection system and pump filter
- (improved system for a better filtration of the wash water)
- •Built-in rinse-aid and detergent dispensers available
- Enhanced wash pump protection with triple safety system
- •Easy to Remove Components to help with daily cleaning operations
- •Quick and easy installation and maintenance



Rinsing Temperature (Set) Tank Capacity Power Electrical Water Consumption/Cycle (water pressure 200kpa) Washing Cycles 1(120) Noise Net Dimensions (WDH)

Item

Model

HOOD-130-PREMIUM-USA 185 °F (85 °C) 44.4 Qt. (42 L) 10.75 kW 220-240V / 60 Hz / 3 Ph 2.76 Qt. (2.61 L) 2(180) 3(240) 4(300) 5(360) 66430.7 dB(A)

49128

ほうつうつ

28.37" x 28.93" x 56.87"/ 74"h (open hood)

Limited quantities available. Valid to Authorized Omcan Dealers only. F.O.B. Mississauga (Ontario). Special prices on this flyer may not be included to any special freight program. Prices will be subject to change as per exchange rates. All prices are SPECIAL NET CAD. ***NOT APPLICABLE TO PRIOR PURCHASE.***

TRENTO

Shipped on Pallet 🛲



Shipped on Pallet 🛲

UPRIGHT DISHWASHERS

Hood-110-USA | High-Temperature

Item: 49127 | Model: hood-110-USA

Designed for efficient, ergonomic use in busy commercial kitchens.



Superior Design

- •AISI 304 Structure
- •Stainless Steel Wash and Polypropylene Rinse Arms
- •Split wash and rinse arms for superior coverage •Non-Drip Roof to safeguard the hygiene of freshly washed dishes
- •Deep Formed Tank Bottom for a perfect total drain Temperature thermometers for wash and rinse tanks •CE Certified Components

Easy To Use

- User-friendly interface
- •Hood-operated start/stop for ergonomic use •Fully Automatic Cycle – lets you focus on the more important things in the kitchen
- Easily removable Basket Support
- •Handles both dishes and utensils* in one machine *within allowable limits
- •Flexible installation corner or straight-line •Ideal for Medium to High Volume operations -Busy bars, restaurants, hotels and pubs

Efficiency & Cost Saving

•Two Wash Cycles for enhanced performance and flexibility

- •Insulated Hood maximizes Energy Efficiency and silent operation
- Efficient pre-rinse and rinse systems –
- minimizes water usage per load
- •Light wash & rinse arms ensure efficiency even
- at lower water pressure
- •Lower Cost of Ownership over the lifetime •Fast cycle times with high throughput
- •Fast cycle times with high throughput

Reliability Guaranteed

- •Reliable system lowers maintenance costs
 •Double filtration system for efficient cleaning
 •Built-in rinse-aid and detergent dispensers available
- •Integrated Overflow and drainpipe Protectiontriple protection of wash pump
- •Easy to Remove Components to help with daily cleaning operations
- •Quick and easy installation and maintenance



Item 49127 Model HOOD-110-USA Rinsing Temperature (Set) 185 °F (85 °C) Tank Capacity 31.72 Qt. (30 L) Power 10.92 kW 220-240V / 60 Hz / 1 Ph Electrical Water Consumption/Cycle 3.16 Qt. (3 L) (water pressure 200kpa) Washing Cycles 1(120) 2(180)66430.7 dB(A) Noise 28.37" x 28.93" x 56.87"/74"h (open hood) Net Dimensions (WDH)

ほうりつ

TRENTO

Limited quantities available. Valid to Authorized Omcan Dealers only. F.O.B. Mississauga (Ontario). Special prices on this flyer may not be included to any special freight program. Prices will be subject to change as per exchange rates. All prices are SPECIAL NET CAD. ***NOT APPLICABLE TO PRIOR PURCHASE.***



Shipped on Pallet 🛲

UNDERCOUNTER DISHWASHERS

Dupla-50-USA | High-Temperature

item: 49126 | model: Hood-110-USA

Ideal for kitchens needing flexibility in washing dishes and utensils.



Superior Design

•Double Walled AISI 304 Structure

- Stainless Steel Wash and Polypropylene Rinse Arms •Non-Drip Roof to safeguard the hygiene of freshly washed dishes
- •Split wash and rinse arms for superior coverage
- •Deep Drawn and Inclined Tank for a perfect total drain
- Compact and space-saving design
- Door with anti-shock system
- ·CE Certified Components

Easy To Use

- ·User-friendly interface with basic wash cycles •Wide loading capacity – ensures kitchen efficiency during busy times
- •Fully Automatic Cycle lets you focus on the more important things in the kitchen
- Pressed Basket support
- ·Handles both dishes and utensils in one machine ·Medium-Duty operation - Ideal for bars, restaurants, hotels and pubs

Efficiency & Cost Saving

•Two washing cycle - for enhanced performance and flexibility ·Light wash & rinse arms ensure efficiency even at lower water pressure Sound and Heat-Proof Double Walled Door and side walls ·Lower Cost of Ownership over the lifetime

Reliability Guaranteed

•Reliable system lowers maintenance costs Double filtration system for efficient cleaning •Built-in rinse-aid and detergent dispensers Overflow and drainpipes integrated system triple protection of wash pump •Easy to Remove Nozzles to help with daily cleaning operations

·Quick and easy installation and maintenance



FOR MORE INFORMATION PLEASE VISIT WWW.OMCAN.COM OR GIVE US A CALL 1.800.465.0234



Limited quantities available. Valid to Authorized Omcan Dealers only. F.O.B. Mississauga (Ontario). Special prices on this flyer may not be included to any special freight program. Prices will be subject to change as per exchange rates. All prices are SPECIAL NET CAD. ***NOT APPLICABLE TO PRIOR PURCHASE.***

OFFER ENDS: June 30, 2025 Contact your Account Manager for more info

49126



Item	491	26
Model	DUPLA-50-USA	
Rinsing Temperature (Set)	85 °C (185 °F)	
Tank Capacity	28.5 Qt. (27 L)	
Power	7090 W	
Electrical Water Consumption/Cycle (rinse pressure 15 PSI)	220-240V / (50 Hz / 1 Ph
	2.96 Qt. (2.8 L)	
Washing Cycles (sec)	1 (120)	2 (180)
Noise	59.3 dB(A) (average room noise level)	
Net Dimensions (WDH)	23.43" x 24" x 33.31"	



UNDERCOUNTER DISHWASHERS

🛲 *Shipped on Pallet

Aqua-50-USA | High-Temperature

item: 49125 | model: HOOD-130-PREMIUM USA

Best for small establishments needing a compact, reliable dishwasher.





Superior Design

- •Non-Drip Roof to safeguard the hygiene of freshly
- washed dishes
 •Deep Drawn and Inclined Tank for a perfect total drain
 •AISI 304 Structure
- •Compact and space-saving design
- •Door with anti-shock system
- •CE Certified Components

) Th Easy To Use

•User-friendly interface with basic wash cycles •Wide loading capacity – ensures kitchen efficiency

•Fully Automatic Cycle – lets you focus on the more important things in the kitchen

•Ideal for bars, cafés & small restaurants

Efficiency & Cost Saving

•Two washing cycles – Energy efficient and time saving

•Light wash & rinse arms ensure efficiency even at lower water pressure

•Sound and Heat-Proof Double Walled Door •Lower Cost of Ownership over the lifetime



Reliability Guaranteed

Reliable system lowers maintenance costs
Double filtration system for efficient cleaning
Built-in rinse-aid and detergent dispensers
Overflow and drainpipes integrated system triple protection of wash pump
Easy to Remove Nozzles to help with daily

cleaning operations

Quick and easy installation and maintenance



Item	49125
Model	AQUA-50-USA
Rinsing Temperature (Set)	85 °C (185 °F)
Tank Capacity	30.64 Qt. (29 L)
Power	7090 W
Electrical	220-240V / 60 Hz / 1 Ph
Water Consumption/Cycle (rinse pressure 15 PSI)	2.96 Qt. (2.8 L)
Washing Cycles (sec)	1 (120)
Noise	63 dB(A) (conversational noise level)
Net Dimensions (WDH)	23.25" x 23.62" x 33.43"



FOR MORE INFORMATION PLEASE VISIT WWW.OMCAN.COM OR GIVE US A CALL 1.800.465.0234



Limited quantities available. Valid to Authorized Omcan Dealers only. F.O.B. Mississauga (Ontario). Special prices on this flyer may not be included to any special freight program. Prices will be subject to change as per exchange rates. All prices are SPECIAL NET CAD. ***NOT APPLICABLE TO PRIOR PURCHASE.***

OFFER ENDS: June 30, 2025